


# ILLUSTRATED PARTS

AMERICAN  AMERICAN  
M A D E O W N E D  
OUTDOOR POWER EQUIPMENT




## 1996

## PUSH MOWERS

Model Number	Pages
116-106C000 thru 116-109C000 .....	2, 3
116-325A000 and 116-328C000 .....	4, 5
116-410A000 thru 116-428N000 .....	6, 7
Engine Shrouds .....	8

# Models 106 thru 109





# Models 106 thru 109

## PARTS LIST FOR MODELS 106 THRU 109 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	647-0004		Control Handle Ass'y. (Deluxe)	41	751B213146		Cable Clamp
	747-0824		Control Handle Ass'y. (Std.)	42	710-1237		Hex Self-Tap Scr. #10-32 x .62"
2	710-0605		Oval C-Sunk Scr.	44	735-0639		Spark Plug Boot
3	736-0501		Spr. Wash. .66" I.D.	45	811-00185		Throttle Box Comp. (Incl. Ref. 2, 3, 4, 5, 6)
4	746-0876		Throttle Lever	46	738-0102		Axle Bolt
5	712-0324		Hex L-Nut 1/4-20 Thd.	47	736-0105		Bell-Wash. .400" I.D. x .88"
6	646-0875		Throttle Body	48	738-0507B		Shld. Bolt .50" Dia. x .357"
7	720-0226		Grip (Optional)	49	14832		Spring Lever Ass'y. w/Knob
8	749-0538C		Upper Handle	50	15262B		Pivot Bar
10	710-1205		Rope Guide	51	15261A		Height Adj. Plate
12	720-0276		Hand Knob	52	**		Wheel Ass'y. Comp.
13	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	53	14578		Height Adj. Ass'y. Comp.—R.F. & L.R.
14	726-0240		Cable Tie		14579		Height Adj. Ass'y. Comp.—L.F. & R.R.
15	749-0928		Lower Handle	54	746-0842		Throttle Cable—51"
16	714-0104		Hairpin Cotter	55	746-0550		Control Cable—39" (109A)
17	17098		Hinge Clip		746-0553		Control Cable—36" (106C, 108C)
18	731-1447		Rear Flap	57	710-0654A		Hex L-Wash. Hd. Scr. 3/8-16 x 1.0" Lg.
19	12935B		Handle Bracket Ass'y.—L.H.	58	736-0504		Wave Washer .51" I.D. (Used w/Ball Bearings)
20	12936B		Handle Bracket Ass'y.—R.H.	59	710-0603		Hex Wash. Hd. B-Tap Scr. 5/16-18 x .5" Lg.
21	736-0356		Bell-Wash. .39" I.D. x 1.38"	62	720-0279		Handle Knob 1/4-20 Thd.
22	712-0798		Hex Nut 3/8-16 Thd.*	63	682-7000		Mulching Plug
23	††		Hub Cap	64	731-1409		Chute Deflector
24	**		Bearing (Optional)	65	736-0270		Bell-Wash. 1/4" I.D.
29	682-0016		20" Deck Ass'y.	66	710-0599		Hex Wash. Hd. TT-Tap Scr. 1/4-20 x .5" Lg.
30	753-0484		Blade Adapter Kit				
31	736-0452		Bell-Wash. .39" I.D.				
32	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.				
33	742-0720		20" Mulching Blade				
34	710-1055		Hex Bolt 3/8-24 x 1" Lg.				
35	736-0169		L-Wash. 3/8" I.D.*				
36	712-0241		Hex Nut 3/8-24 Thd.				
39	—		Engine				

\*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.



### \*\*WHEEL CHART

Wheels w/o Bearings 	Wheels with Bearings† 
Bar Tread	(Brg. Part No. 741-0484) "S" Wave Tread
734-1781 (Gray—No Hub Cap)	734-1790 (Yellow)
634-0020 (Gray—Uses Hub Cap)	734-1517B (Beige)
	734-1513B (Gray)

†Require Wave Washer 736-0504


# Models 325 and 328

## \*\*WHEEL CHART

Bar Tread 	"S" Wave Tread 
734-1781	734-1512A

## OPTIONAL EQUIPMENT

Grass Catcher Complete	190-076-000
Mulching Kit	190-108-000
Chute Deflector Kit	190-109-000



# Models 325 and 328

## PARTS LIST FOR MODELS 325 AND 328 ROTARY MOWERS



REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824		Control Handle Ass'y. (Std.)	48	12296B		Handle Brkt. Ass'y.—R.H.
	647-0004		Control Handle Ass'y. (Deluxe)	49	710-0896		Hex L-Wash. B-Tap Scr.
2	17007		Rear Panel Baffle				1/4 x .62" Lg.
3	710-0605		Oval C-Sunk Mach.-Scr.	50	736-0356		Bell-Wash. .39" I.D.
4	736-0501		Spr. Wash. .66" I.D.	51	712-0798		Hex Nut 3/8-16 Thd.*
5	720-0279		Handle Knob 1/4-20 Thd.	52	710-0654A		Hex L-Wash. Hd. Scr.
6	646-0875		Throttle Body				3/8-16 x 1" Lg.
7	712-0324		Hex L-Nut 1/4-20 Thd.	53	16998A		21" Deck Ass'y.
8	749-0538C		Upper Handle	54	17008		Chute Baffle
9	746-0876		Throttle Lever	55	14847		Retaining Strip 14.25" Lg.
10	736-0270		Bell-Wash. 1/4" I.D.	56	731-0669		Rear Flap 17.30" Lg.
11	710-0252		Hex Bolt 1/4-20 x .85**	57	731-0859A		Rear Chute Deflector
12	746-0843		Throttle Control Wire—55" (328C)	58	731-0856A		Hardtop Handle
	746-0845		Throttle Control Wire—45" (325A)	59	731-0857A		Hardtop Bag Cover
13	710-1205		Rope Guide	60	749-0736A		Rear Catcher Frame
14	710-0653		Hex B-Tap Scr. 1/4 x .38" Lg.	61	764-0411		Front Catcher Frame
15	720-0276		Hand Knob	62	764-0252		Grass Bag
16	746-0554		Control Cable—40.5" (328C)	63	720-0226		Foam Gript
	746-0555		Control Cable—55" (325A)	65	736-0463		Fl-Wash. .281" I.D.
17	726-0240		Cable Tie	72	736-0452		Bell-Wash. .39" I.D.
18	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	73	742-0621		21" Blade
19	749-0928		Lower Handle		742-0721		21" Mulching Blade†
20	811-00185		Throttle Box Comp. (Incl. Ref. 3, 4, 5, 6, 9)	74	753-0484		Blade Adapter Kit
21	710-1237		Hex Self-Tap Scr. #10-32 x .62" Lg. (328C)	75	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.
	710-0871		Hex Sems Scr. #10-32 x .3" Lg. (325A)	76	15261A		Height Adj. Plate
				77	15262B		Pivot Bar
22	735-0639		Spark Plug Boot	78	14832		Spring Lever Ass'y. w/Knob
23	751B213146		Cable Clamp (328C)	79	738-0507B		Shld. Bolt .50" Dia. x .357"
	7510007755		Cable Clamp (325A)	80	736-0105		Bell-Wash. .38" I.D. x .88" O.D.
24	710-0352		Hex B-Tap Scr. 1/4 x .38" Lg.	81	731-0981A		Hub Cap (5-1/2" Dia.)†
25	710-0252		Hex Bolt 1/4-20 x .85" Lg.		720-0249		Hub Cap (3-1/2" Dia.)†
26	710-0134		Carriage Bolt 1/4-20 x .62" Lg.	82	14578		Height Adj. Ass'y. Comp.—R.H.
27	—		Engine		14579		Height Adj. Ass'y.
28	17013A		Baffle	83	**		Comp.—L.H. (Not Shown)
29	736-0329		L-Wash. 1/4" I.D.*	84	14764C		Wheel Ass'y. Comp.
30	712-0287		Hex Nut 1/4-20 Thd.*	85	14765		Index Plate
31	710-1055		Hex Bolt 3/8-24 x 1" Lg.		14766		Pivot Bar—R.H.
32	736-0169		L-Wash. 3/8" I.D.	86	720-0190		Pivot Bar—L.H. (Not Shown)
33	712-0241		Hex Nut 3/8-24 Thd.	87	732-0417A		Spring Lever Knob
34	731-0858		Seal—Extrusion	88	16106		Spring Lever
35	714-0104		Int. Cotter Pin 5/16" Dia.				Rear Height Adj. Ass'y.
36	726-0106		Cap Speed Nut		16107		Comp.—R.H.
37	747-0698B		Hinge Pin 17.75" Lg.	89	738-0102		Rear Height Adj. Ass'y.
38	750-0566		Spacer .255" I.D.				Comp.—L.H. (Not Shown)
39	732-0577B		Torsion Spring—L.H.	92	720-0224		Axle Bolt
40	711-0805		Shld. Pin 3/8-24 x 1.43" Lg.	93	736-0498		Grass Catcher Locking Knob
41	736-0169		L-Wash. 3/8" I.D.*	94	736-0286		Internal L-Wash. 1/4" I.D.
42	712-0711		Hex Jam Nut 3/8-24 Thd.	95	738-0137		Wave Washer 3/8" I.D.
43	732-0578B		Torsion Spring—R.H.	96	731-1446		Shld. Bolt .342" Dia. x .268"
44	12297B		Handle Brkt. Ass'y.—L.H.	97	782-7010		Mulching Plug†
45	710-1017		Torx Mach. AB-Tap Scr. 1/4 x .62" Lg.	98	710-1006		Stop Bracket †
46	731-0970B		Deflector Plug	99	731-1461		Hex Tap Scr. 3/8-16 x .75" Lg.†
47	731-0931		Corner Plug	100	782-7011		Chute Deflectort
				101	712-0324		Chute Mounting Brkt.†
				102	710-0286		Hex L-Nut 1/4-20 Thd.†
							Mach. Scr. 1/4-20 x .5" Lg.†

†Optional Parts


\*For faster service obtain standard nuts, bolts and washers locally. If these items cannot be obtained locally, order by part number and size as shown on parts list.

# Models 410 thru 428

## \*\*WHEEL CHART

Bar Tread  Wheel w/o Bearings	"S" Wave Tread  Wheel with Ball Brgs.† (Brg. Part No. 741-0484)
734-1781 (No Hub Cap) 634-0020 (Uses Hub Cap)	734-1790

†Require Wave Washer 736-0504



### \*\*\*Optional Hub Caps

Description	Part No.
Gray (5-1/2" Dia.)	731-0981A
Yellow (5-1/2" Dia.)	731-1426
Gray (3-1/2" Dia.)	720-0249

### COMPLETE GRASS CATCHER

Soft Top—	Model 190-088-000
Hard Top—	Model 190-091-000

### ATTACHMENTS AVAILABLE

Mulching Kit—	Model 190-082-000
Chute Deflector—	Model 190-104-000

# Models 410 thru 428









## PARTS LIST FOR MODELS 410 THRU 428 ROTARY MOWERS

REF. NO.	PART NO.	CODE	DESCRIPTION	REF. NO.	PART NO.	CODE	DESCRIPTION
1	747-0824 647-0004 747-0615		Control Handle (Std.) Control Handle Ass'y. (Deluxe) Control Handle (116-428N022/722)	33	710-1044		Hex Bolt 3/8-24 x 1.5" Lg.
2	710-1205		Rope Guide	34	736-0452		Bell-Wash. .39" I.D.
3	720-0279		Handle Knob 1/4-20 Thd.	35	710-1055		Hex Bolt 3/8-24 x 1" Lg.
4	710-1174		Curved Hd. Bolt 5/16-18 x 2" Lg.	36	742-0621		21" Blade
6	720-0276		Hand Knob		742-0721		21" Mulching Blade (Optional)
7	710-0605 710-1270		Oval C-Sunk Mach. Scr. Oval C-Sunk Mach. Scr. (Model 425 Only)		742-0741		21" Mulching Blade (116-418D401)
8	736-0501		Spr. Wash. .66" I.D.	37	736-0169		L-Wash. 3/8" I.D.*
9	712-0324		Hex L-Nut 1/4-20 Thd.	38	712-0241		Hex Nut 3/8-24 Thd.
10	746-0876		Throttle Lever	39	736-0356		Bell-Wash. .39" I.D. x 1.38"
11	749-0538C 749-0920A		Upper Handle Upper Handle (116-428N022/722)	40	712-0798		Hex Nut 3/8-16 Thd.*
12	720-0226		Foam Grip (Optional)	41	15261A		Height Adj. Plate
13	749-0928		Lower Handle	42	15262B		Pivot Bar
14	726-0240		Cable Tie	43	14832		Spring Lever Ass'y. w/Knob
15	764-0310		Rear Catcher Frame†	44	738-0507B		Shld. Bolt .5" Dia. x .357"
16	746-0550		Control Cable—39" (410, 412, 414, 424)	45	736-0105		Bell-Wash. .38" I.D. x .88" O.D.
	746-0737		Control Cable—51" (411, 413, 423, 425)	46	738-0102		Axle Bolt
	746-0553		Control Cable—36" (416, 418, 426, 428)	47	720-0190		Spring Lever Knob
17	746-0847		Throttle Control Wire—42" (411, 413, 423, 425)	48	732-0417A		Spring Lever
	746-0843		Throttle Control Wire—55" (416, 418, 426, 428)	49	14578		Height Adj. Ass'y. Comp.—R.H.
18	764-0311		Front Catcher Frame†		14579		Height Adj. Ass'y. Comp.—L.H. (Not Shown)
19	764-0309		Grass Bag†	50	14765		Pivot Bar
	764-0457		Grass Bag w/Logo†	51	782-5002		Front Baffle
20	714-0104		Int. Cotter Pin 5/16" Dia.	52	710-0654		Hex L-Wash. Hd. Scr. 3/8-16 x 1" Lg.
21	732-0678		Door Spring—R.H.	53	782-5003		Rear Baffle
22	732-0677		Door Spring—L.H.	54	710-1017		Torx Mach. AB-Tap Scr. 1/4 x .62" Lg.
23	782-7000		Rear Discharge Door	55	710-0892		Hex L-Wash. Hd. AB-Tap Scr. 1/4 x .62" Lg.
24	751B213146 7510007755		Cable Clamp (B&S)	56	682-0516		Handle Brkt. Ass'y.—R.H.
25	646-0875		Casing Clamp (Tec.)	57	682-0515		Handle Brkt. Ass'y.—L.H.
26	811-00185		Throttle Body	58	782-0310		21" R.D. Deck
27	—		Throttle Box Comp. (Incl. Ref. 7, 8, 9, 10, 25)	59	**		Wheel Ass'y. Comp.
28	710-1237		Engine	60	***		Hub Cap
	710-0871		Hex Wash. Hd. Scr. #10-32 x .62" Lg.	61	764-0433		Grass Bag††
			Hex Sems Scr. #10-32 x .3" Lg. (Tec.)	62	731-1322		Hard Top Cover††
29	735-0639		Spark Plug Boot (Optional)	63	710-0286		Pan Hd. Mach. Scr. 1/4-20 x .5" Lg.††
30	732-0700		Wire Rod	64	712-0324		Hex Nylon L-Nut 1/4-20 Thd.††
31	731-1236		Rear Flap	65	782-9011		Mounting Bracket††
32	753-0484		Blade Adapter Kit	66	782-5007		Mulching Baffle Plug (Optional)
				67	782-5004		Mulching Baffle—R.R. (Optional)
				68	731-1405		Deflector (Optional)
				69	711-0996		Rod (Optional)
				70	726-0201		Push Speed Nut (Optional)
				71	710-0192		Truss Scr. #10-24 x .38" Lg.
				72	720-0275		Knob
				73	731-1506		Deck Shroud (Optional)†
				76	748-0376		Blade Adapter (116-418D401)
				77	736-0524		Blade Bell Support (116-418D401)

†Models 410 thru 418 only.

††Models 423 thru 428 only.

## OPTIONAL ENGINE SHROUDS

							
<b>Part No.</b> 751B281439 751B281440 751B281443	<b>Color</b> Dark Red Black Bright Red	<b>Part No.</b> 731-1395 731-1396 731-1397	<b>Color</b> Red Black Gray	<b>Part No.</b> 731-1587 731-1603 731-1610	<b>Color</b> Black Yellow Pewter	<b>Part No.</b> 731-1561 731-1612	<b>Color</b> Black Red
<b>Hardware:</b> 710-1256 (Screw)		<b>Hardware:</b> 710-1256 (Screw)		<b>Hardware:</b> 710-1184 (Screw)		<b>Hardware:</b> 7510042823 (Screw)	
							
<b>Part No.</b> 731-1402A 731-1694 731-1695	<b>Color</b> Yellow Black Silver	<b>Part No.</b> 7510014308	<b>Color</b> Black	<b>Part No.</b> 731-1585A	<b>Color</b> Black	<b>Part No.</b> 731-1586A	<b>Color</b> Black
<b>Hardware:</b> 710-1256 (Screw)		<b>Hardware:</b> 7510042823 (Screw)		<b>Hardware:</b> 710-1274 (Screw)		<b>Hardware:</b> 7510042823 (Screw)	